

Government of India
 /FALTA SPECIAL ECONOMIC ZONE
 /Department of Commerce
 /Ministry of Commerce & Industry
 /Ministry of Commerce & Industry
 Building, 4th Floor







E-TENDER NOTICE

Notice inviting Tender (NIT) for Maintenance of Falta Zone

Falta SEZ Authority invites online tender from approved and eligible bidders for the following works: **Table-1**

SI No	Tender No. & Date	FSEZA/R&M/E-Tender/2025/18 Dated: 09/04/2025							
1	Details of Works	Location	Work Description						
		SEC -II ,	1	Sanitary Wor At 2nd Floor House at FSE	,				
2	Period of Contract	contract. This n	The Contract should be completed within 45 Days from the effective date of ontract. This may be renewed/ extended by another 15 days at the discretion of the FSEZA on the same terms and conditions.						
	Period during which								
3	EMD,Cost of Bid	23/04/2025 02	2:00PM						
	Document and other								
	documents shall be								
	Submitted to this office.								
	Last Date and Time of E-	23/04/2025 0	2:00 PM						
4	Submission of tender								
	Date and Time of E-opening	23/04/2025 02	2:30PM						
5	of Technical Bid								
	Date and Time of E-	To be intimate	ed later						
6	openingof Financial Bid								
7	Estimated cost	Approximate	Amount R	s.17,67,197.0	0 (in word : Seventeen Lakh Sixty				
	ofTender	Seven Thousa	nd One H	undred Ninety	V Seven Only)				
	(Approx.)								
8	Cost of BID Document	NA							
	Earnest Money	Work No	Loca	ation	EMD Amount in INR				
9	Deposit(EMD)	01	SEC-II,		EMD Amount is 3% of estimated cost. (Rounded Up to Rs.10/-)				
10	E-Tender Processing fee	Rs.590/-(to b	e paid onl	ine)					

Details can be viewed on our website <u>http://fsez.gov.in</u>or,<u>www.gerpegov.com/FSEZ</u>

Requirements for Vendors:

- P.C. connected with internet.
- Registration with Service provider portal <u>www.gerpegov.com/FSEZ</u>
- The vendor should possess a Class III Digital Signature certificate (Mandatory).
- (Bids will not be recorded without Digital Signature Certificate.)
- In case of any clarification please contact CEL Ltd., before the schedule time of the-Procurement. Contact Persons:-
- Help desk No.9073677150/151,152

Mr. Abhay kr Singh:-9708966660 / 09674758726, Ms. Saswati Majumder-

09674758722E-mail:helpdeskgerpegov@gmail.com

a) For registration, Submission procedure and method of correspondence etc., Please visit our website: <u>www.gerpegov.com/FSEZ</u> and click on the link Vendor Help.

b) To obtain the Class III digital signature certificate or further details please visit our website: : www.gerpegov.com/FSEZ or you may also Contact: Mr. Saswati Majumder, BD52ARabindra Pally, Kestopur, Kolkata-101, Mobile:09674758722

c) Registration/Enrollment of Bidder one-procurement Portal of FSEZ:

In order to submit the Bid, the bidders have to get themselves registered online on the e-Procurement portal of FSEZ with valid Digital Signature Certificate (DSC)issued from any agency authorized by CCA and which can be traced up to the chain of trust to the Root Certificate of CCA. The online Registration of the Bidders on the portal will be chargeable and valid up to one year. The registration should be in the name of the company, whereas DSC holder maybe either bidder himself or his duly authorized person.

The bidders will have to accept unconditionally the online user portal agreement which contains the acceptance of all the Terms and Conditions of NIT including Commercial and General Terms & Conditions and other conditions, if any, along with On-line undertaking in support of the authenticity of the declarations regarding the facts, figures, information and documents furnished by the Bidder on-line in order to become an eligible bidder. No conditional bid shall be allowed/ accepted.

The bidder will have to give an under taking online that if the information/declaration/scanned documents furnished in support of the same in respect of eligibility criteria is found to be wrong or misleading at any stage, they will be liable to be punitive action as deemed fit by FSZ Authority.

d) Help for participating in e-tender:

The detailed method for participating in the e-procurement is available in the website<u>www.gerpegov.com/FSEZ</u>. The bidders have to Log onto CEL's website and then click on the specified links to start participating in the e-tendering process.

Bidders are also free to communicate with the contact person of the service provider to get all clarifications regarding the mode of the e-procurement process.

NB :(i) please note that there is no provision to take out the list of parties downloading the tender document from the above referred web site. As such, tenders are requested to see the website once again before due date of tender opening to ensure that they have not missed any corrigendum uploaded against the said tender after downloading the tender document. The responsibility of downloading the related corrigendum, if any, will be that of the downloading parties.

(ii) No separate intimation in respect of corrigendum to this NIT (if any) will be sent to tenderers who have down loaded the documents from website. Please see websites i.e. <u>http://fsez.gov.in/.orwww.gerpegov.com/FSEZ</u>

e) The offer should be submitted (uploaded) as per the terms and conditions and procedures laid down in the website of M/s CEL Ltd <u>www.gerpegov.com/FSEZ /</u>tender document failing which the offer is

liable for ejection.

Bidders should download the complete NIT including the Annexure and read carefully before filling the details and uploading the documents.

f) The bidder must upload all the documents required as per the terms of NIT. Any other document uploaded which is not required as per the terms of the NIT shall not be considered.

g) It may please be noted that E-tendering or e-procurement fall under the purview of the Information Technology Act 2000 and other relevant acts and subsequent amendments if any.

Project/Preamble

Falta SEZ was set up in 1985 and is spread over an area of approx. 280 acres of land. It is located at Falta, South 24 parganas, near Diamond Harbour. The zone is under the administrative control of the Ministry of Commerce & Industry (Department of Commerce), Government of India. It is the only the multiproduct Special Economic Zone in the Eastern & North Eastern zone in India. It is a fully Custom Bonded Area and is surrounded by 11'of boundary wall with two entry/exit gates.

The development of FSEZ is vested with FSEZ Authority, a Govt. entity reporting directly to the Ministry of Commerce and Industry. The FSEZ Authority is constituted by the Government of India vide Notification dated 27-02-2009 and headed by Development Commissioner of Falta SEZ who acts as the Chairman and Chief Executive Officer of the Authority.

For operation/maintenance and smooth functioning of the Zone, FSEZ Authority Invites

tender for the following job:

T	able-2		
	Work	Description of Work / Job	Quantity
	No		
Γ	01	Repairing of Civil, Electrical, Plumbing & Sanitary Work And Roof	As per Price Bid attached
		Shed With Roof Trusses At 2nd Floor For Guest House(G+1) Near	
		Transit House at FSEZ, Falta	

Scope of Work

A1 General Terms & Conditions of the NIT:

- (1) Register vender can apply the tender.
- (2) The bidder shall be required to submit Earnest Money deposit for an amount of 3% of estimated cost. (Rounded up toRs.10/-) online in favor of Falta SEZ Authority, Kolkata.
- (3) The Bid submitted without processing fee and earnest money shall be rejected outright without reference to the bidder.
- (4) The amount of earnest money will be refunded to the unsuccessful bidders without interest after the selection of successful bidder and in the case of successful bidder the amount to be kept as Performance Guarantee.
- (5) The earnest money shall be forfeited if the bidder withdraws its offer during the intervening period between the date of submission and the due date of Bid or any extension thereof.
- (6) After finalization of the bid, Falta SEZ Authority shall issue a letter of Intent to the successful bidder. The successful bidder shall be required to communicate acceptance of the terms and conditions of the contract.

- (7) The successful bidder shall be deposit/submit 3% of contract amount in the form of Bank Guarantee(BG)/FD for a period of 15 month from effective date of contract covering one year warranty period for all civil/Electrical/Plumbing work. For AMC the Bank Guarantee should cover minimum 3 months more than the period of AMC order.
- (8) The successful bidder shall employ qualified and skilled personnel. He will have to intimate the list of workers to be deployed for approval at Gate.
- (9) The successful bidder shall ensure that all such personnel have valid licenses/certificates applicable under the law.
- (10) The successful bidder shall at all times during the currency of the contract ensure highest standards of safety and security of the zone. In case of any accident/damage to any equipment/people/any other infrastructure belonging to /agencies, the successful bidder shall be solely accountable to all liabilities and losses thereof to this expense.
- (11) The successful bidder shall keep FSEZA indemnified throughout the period of contract for any loss, damage and expenses whatsoever which FSEZA may suffer or may have to suffer due to fault on the part of the successful bidder in discharging any/other obligations as per provisions of the contract. Assessment of damages, expenses, costs etc. if any, will be borne by the bidder. In case the successful bidder damages property belonging to parties other than FSEZ Authority, assessment of damages, expenses, cost etc. If any will be borne by the bidder.
- (12) The successful bidder shall not assign the contract or any part of the contract to any other agency without approval of FSEZ Authority.
- (13) The successful bidder shall be responsible for payment of taxes, duties, CESS, assessment or any other charges which may be levied by any statutory Authority during the currency of the contract.
- (14) The successful bidder shall at its own cost and arrangements obtain and maintain all required statutory clearances and permissions as may be required by Law for undertaking the operations under provision of the contract.
- (15) Depending upon the situation and quality/credential and other factors of the bidders it is open to the FSEZ Authority not to award the contracts to the lowest bidder only.
- (16) Persons deployed by the successful bidder shall have no claim for any employment under this office.
- (17) The FSEZ Authority will not be responsible for providing any residential accommodation/food/transport for the personnel of the bidder. If required, the same has to be arranged by the bidder.
- (18) The bidder shall submit the Organization Profile.
- (19) The bidder shall submit a list of similar contracts/Civil works undertaken for the last five years.
- (20) Decision of awarding the contract to the lowest bidder is the FSEZ Authority is final.
- (21) The work can be terminated any time without assigning any reason.
- (22) The contractor must intimate the address of his office and residence along with land line and mobile phone numbers.
- (23) The contractor will have to make regular payment to the workers engaged for the works. In case any complaint for non-payment of wages to the workers the authority has the sole rights to withhold the bill of the contractor.
- (24) For any accident/miss-happening at site with the workers' engaged for the work will be the liability of the contractor.
- (25) The worker deployed should be disciplined in the premises and on complaint of misbehavior/misconduct, or if found not suitable by FSEZ Authority, replacement should be made immediately.
- (26) The agency will not sublet work without prior permission.
- (27) FSEZ Authority reserves right to reject all quotations.
- (28) Successful bidder will be select by adding all the quoted amount of work s in items. The lowest bidder may be awarded the work.

(29) The Bidders has to visit the site in Falta on 16-04-2025 from 10.00 am 11.00 am and also attend pre-bid meeting at Nizam palace office on 17-04-2025, 11: 30 AM.

A2 Additional terms and conditions: -

- 1) The Contractor should provide all equipment's as required for said work.
- 2) The Contractor shall ensure that not only persons of good character and conduct but also trained and knowledgeable are employed. He should also ensure that proper verification of antecedents of the persons employed by him have been carried out before giving employment. The name of laborers and supervisor may be intimated well in advance to the Secretary, FSEZ Authority. The contractor shall provide the self-certified copies of the permanent addresses of all workers deployed in FSEZ Authority.
- 3) The Contractor shall engage sufficient number of persons/equipment's to complete the contract in time.
- 4) The Contractor shall ensure compliance of all relevant statutory laws in force like Minimum Wages Act, Industrial Dispute Act etc. The Labors and Supervisors employed by the Contractor shall be paid minimum wages prescribed by the law.

In case of failure to execute the services as per the laid down scope of work and to the entire satisfaction of the Development Commissioner, FSEZA or his/her representative, this office reserves the right to terminate the contract and get the contract executed from elsewhere at the risk and cost of contractor till finalization of new contractor.

5) All laborers and Supervisor employed by the contractor for subject work and accumulated excess soil at FSEZ Authority shall be treated as employees of the contractor for all purposes and the Secretary; FSEZ Authority shall have no liability in any respect. The employee turnout should be satisfactory and daily inspection should be carried out by the contractor.

Pavment Terms

Payments will be made to the contractor subject to satisfactory performance of job/work and a certificate to this effect will be issued by the Development Commissioner, FSEZA or his/her representative.

Termination Clause

The FSEZ Authority reserves the right to terminate the contract without assigning any notice thereof and get the job/work executed from elsewhere at the risk and cost of contractor till finalization of new contract.

PENALTIE Clause-For Unsatisfactory Performance during the Contract Period:

- a) Violation of Safety norms, not wearing proper safety equipment's/dress by the deployed manpower @Rs.500/- per occasion
- b) If the work will not be done/ completed as per the validity of contract/SO, penalty will be imposed Rs.1000/day deducted from the Bill.

Validity of Contract:

The Contract should be initially for a period of 1 month from the effective date of contract, which may be renewed/ extended by another 15 days at the discretion of the FSEZA on the same terms and conditions. It can, however, be terminated at any time within this period with notice. No escalation or upward revision of rate is permitted during the pendency of the contract period.

Warranty:

The Vendor/Contractor is requiring, without charge, repair or rectify defective goods/services or to replace such goods/services with similar goods free from defect.

A Eligibility Criteria (Technical Part):-

Table-3

Sl. No	Eligibility Criteria Document in support of EC	Document in support of EC
1	 Experience of having successfully completed similar nature of work either of the following in the last five years. a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost. or b) Two similar completed works costing not less than the amount equal to 50% of the estimated cost. or c) One similar completed work costing not less than the amount equal to 50% of the estimated cost. 	Copies of Work order, Completion certificate issued by Govt./Semi Govt./Public Sector Undertaking.
2	the amount equal to 80% of the estimated cost. Income Tax clearance certificate / Proof of filling IT return for last 3 finance year with Permanent Account No.	
3	Valid Trade License	Copy of Trade License from competent authority
4	Professional Tax Registration.	Copy of professional Tax Registration along with current year challan.
5	EMD will be 3 percent of estimated value.	Scanned copy of EMD or documents in favor of exemption of EMD to be uploaded.
6	Valid GST Registration details or copy of application thereof. If exempted, Necessary documents in support of exemption.	Copy of the same
7	PAN Card	Copy of PAN card
8	If the bidder is a Partnership firm, duly attested Partnership deed and in case of Company certified copy of the Certificate of Incorporation Memorandum and Article of Association	Copy of same
9	The bidder shall submit an undertaking that the financial bid does not contain any condition(s).& also not black listed by any organization	Undertaking in Firm/Company Letter pad
10	Tender fee	NIL
11	Required Current Solvency Certificate (i.e. the solvency certificate) shall be a sum of at least 40% of the estimated cost of work ,If estimated work exceeds Rs.5 Lakhs(five lakhs)	Solvency certificated from scheduled Bank
12	Site visited. Attended or Not. If yes, proof to be uploaded	Proof to be uploaded
13	Pre-bid meeting. Attended or Not. If yes, proof to be uploaded	Proof to be uploaded

B. Bidding process

The tender offer shall contain two e-envelopes viz-techno-commercial and financial envelope which will contain one set of the following documents.

i) <u>*Techno-commercial e-envelope shall contain Electronic Form*</u>: The **first part** should contain the information relating to eligibility of the applicant/bidder and non-refundable tender fee along with earnest money. The bidder should also enclose copies of-

- (a) Valid GST Registration details or copy of application thereof. If exempted, necessary documents in support of exemption.
- (b) Trade license or any other appropriate permission to carry on Trade/Business.
- (C) If the bidder is a Partnership firm, duly attested Partnership deed and in case of Company certified copy of the Certificate of Incorporation Memorandum and Article of Association.
- (d) Evidence of having handled similar assignments of Civil works in any other establishments since lastfive years either in its own name or a Group company.
- (e) The bidder shall submit an undertaking that the financial bid does not contain any condition(s).
- (f) The bidder shall submit the Organization Profile.
- (g) The bidder shall submit the Ernest Money Deposit.
- (h) Required Current Solvency Certificate (i.e. the solvency certificate) shall be a sum of at least 40% of the estimated cost of work. If estimated work exceeds Rs.5 Lakhs (five lakhs)

(i) The bidder shall submit an under taking that he/his firm has not black listed by any organization.

ii) *Financial envelope shall contain*: Electronic Form- The second part should contain the bid/financial offer duly filled. Price Bid should be submitted only through online

The completed application/bid containing all the information requested in the NIT shall be submitted offline on or before as stated in **Table 1** to the Office of the Development Commissioner, Falta SEZ, Government of India, Ministry of Commerce & Industry, Department of Commerce, 2nd M.S.O. Building, 4thFloor,NizamPalace, Kolkata – 700020.

B <u>Due date & time for submission and opening of Bid:-</u>

a. The offline bid should be submitted at the Office of the Development Commissioner, Falta SEZ, Government of India, Ministry of Commerce & Industry, Department of Commerce, 2nd M.S.O. Building, 4thFloor, Nizam Palace, Kolkata – 700 020 not later than the date and time of submission in **Table-1** after which time and date, no bid shall be accepted.

b. The first part i.e. Eligibility, Tender fee along with Earnest Money and the Technical part of the Bids will be opened on at 02:30 PM on the date stated in **Table 1** and the second part i.e. financial bid shall be opened (date to be intimated later) at the Office of the Development Commissioner, Falta SEZ, Government of India, Ministry of Commerce & Industry, Department of Commerce, 2ndM.S.O.Building, 4thFloor,Nizam Palace, Kolkata–700020.The Bidder or his authorized representative may witness the opening if they so desire.

NOTE:-If the above day becomes a holiday/strike, then submission and opening of the earnest money and Technical part of the Bid will shift to the next working day.

C Amendment of Bid document: -

a At any time prior to the due date for submission of bid, FSEZ Authority may, for any reason, whether at its own initiative or in response to queries/clarifications raised by the bidders during pre-bid meeting or

otherwise modify the bid document by the issuance of Addendum in the official Web-site of FSEZA (www.fsez.gov.in).

b In order to afford prospective bidders, a reasonable time in which to take an addendum into account, or for any other reason, FSEZA may, at its discretion, extend the submission due date through appropriate notification in the official Web-site of FSEZ Authority (<u>www.fsez.gov.in</u>).

D <u>Validity of Bid:-</u>

The Bid shall remain valid for acceptance for a period of 90 (Ninety) days from the date of opening of the Bid.

E <u>Clarification: -</u>

- (a) To assist in the process of evaluation of Bid, FSEZ Authority may, at its sole discretion, asks any bidder to provide additional documents/details, seek clarifications in writing from any bidder regarding its bid. FSEZ Authority reserves the right to reject any bid which is non-responsive.
- (b) The names of the technically qualified as well as dis-qualified bidders will be made known to all the bidders present before opening of the financial bid.
- (c) Disqualified bidder should not be present during the subsequent bid process.
- (d) Even if one bid is technically qualified, the financial bid thereof will be opened and accepted if in order.
- (e) Even if one or two bids are technically qualified, the financial bids thereof will be opened and decided accordingly.
- (f) In the event of Tie, there will be e-reverse/forward Auction. The details are mentioned in (J)
- (g) Financial Bid of technically non-qualified bidders will be returned without opening.

F <u>Signing of Agreement: -</u>

The successful Bidder will enter into an agreement/contract with FSEZ Authority on a prescribed non-judicial stamp paper immediately upon issue of the LOI. The performer for agreement will be furnished by FSEZ Authority after issuance of LOI.

G Event of default and Termination there of: -

- (a) If the successful bidder fails to perform or discharge any of its obligation under the provisions of the contract.
- (b) The representation made or documents/certificates submitted by the successful bidder during the Bid stage or during the currency of the contracts/are found to be false or misleading.
- (c) The successful Bidder assigns or transfers the contract to any third party without the permission of the FSEZ Authority.
- (d) If the successful bidder through its employees or otherwise gets engaged or wrongly takes part in prohibited or unlawful activities or even fails to prevent such prohibited/unlawful activities.
- (e) If the successful bidder fails to achieve the optimum level of performance within one month from the date of commencement of contract/agreement.
- (f) In the even to occurrence of any default as above or otherwise, FSEZ Authority may proceed for terminating the contract by giving notice (termination period). The Contractor will be given an opportunity to defend himself both in writing and in person.
- (g) During the termination period of 1(one) month the successful bidder may be asked by FSEZ Authority to continue to discharge its obligation under the contract which are capable of being

performed and mutually agreed upon.

H <u>General Information for the Bidders: -</u>

The bidder shall be deemed to have inspected the project area and including the available facilities and conditions prevailing there on before quoting the rates, no cost incurred by the bidders in preparing their Bid or attending inspection of the site will be reimbursed by FSEZ Authority.

I Right to accept or reject any or all applications/bids

- 1. The Tender Enquiry (TE) is issued without any financial commitment. The Buyer reserves the right to amend or modify any part of the TE at any stage. Such amendments/ modifications to the TE, if any, shall be duly notified similarly as the TE.
- 2. The FSEZ Authority reserves the right to accept or reject any application/bid and to annul the bidding process and reject any or all of the applications/bids at any time without any liability or any obligation for such acceptance, rejection or annulment and without assigning any reasons thereof. In the event the authority rejects or annuls any or all of the bids, it may, at its discretion, invite all eligible bidders to submit fresh bids.
- **3.** In case of any dispute or difference arising with the contractor during the period of Contract, the decision of the FSEZ Authority will be final and binding.
- **4.** The Hon'ble Courts at Kolkata shall have exclusive jurisdiction with respect to any matter or dispute arising out of or in any way touching or concerning this Agreement.

J. Some Bidding related Information for this Tender in respect of e-Reverse Auction

E-Reverse Auction would be conducted Item wise / Package wise/work wise, as the case may be, subsequently after the opening of the Financial-Part.

The following would be parameters for e-Reverse Auction:

SL	Parameter	Value
1	Date and Time of Reverse-Auction Bidding	Will be intimated to Technically Responsive
	Event	bidders after the opening of Financial-part.
2	Duration of Reverse-Auction Bidding Event	Two Hours
3	Automatic extension of the 'Reverse-Auction	Yes
	Closing Time', if last bid received is within a	
	'Pre-defined Time-Duration' before the	
	'Reverse-Auction Closing Time'	
3.1	Pre-defined Time-Duration	5 Minutes
3.2	Automatic extension Time-Duration	10 Minutes
3.3	Maximum number of Auto-Extension	6 Automatic Extensions
4	Criteria of Bid-Acceptance	'Beat on Starting Price', as well as, 'Beat on
		Rank-1 Bid Value'
5	Entity – Start-Price	L1 of Net Unit cost to FSEZ Authority.
6	Minimum Bid-Decrement	Will be intimated later on
7	Display of 'Pseudo Identity' of Bidders during	All Bidders, as well as, FSEZ's officers.
	bidding	
8	Display of Bidder's own current Rank	Yes

Prasanta Kumar Panda (Secretary, Falta SEZ Authority)

Copy to:

- 1. Notice board (Nizam Palace)
- 2. M/s CEL limited.
- 3. Notice board DC office Falta
- 4. FSEZ Website

PRICEBID FORMAT) Online filling only

Work No. (01)

Name of Work: Repairing of Civil, Electrical, Plumbing & Sanitary Work And Roof Shed With Roof Trusses At 2nd Floor For Guest House(G+1) Near Transit House at FSEZ, Falta, South 24 Pargans , West Bengal

	Item	Description of works	Quantity	Unit(e)	Rate	Total	Remarks
Location (a)	Sl. No. (b)	(c)	(d)		/Unit INR (f)	Amount in INR (g)	(i)
		A - 1) H4U GUEST HOUSE					
		Demolishing RCC work by manual/ mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metere lead as per direction of Engineer - in - charge.	0.42				
		Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge	2.03				
	3	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 m leads	162.44				
		Disposal of building rubish / malba /similar unservicable , dismanal material or waste material by mechanical means , including loading unloading to approved municilapal dumping ground or as approved by engineear- in -charge beyond 50 m initial lead for all leads including all lifts involved.	0.00				
		Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement morter 1: 6 (1 cement : 6 coarse sand)	1.08				
	0	Half brick masonry with common brunt clay F.P.S (non moduler) brick of class designation 7.5 in super structure above plinth level up to floor v level i) Cement morter 1:4 (1 Cement : 4 course sand)	51.91				
	7	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 40 mm nominal size derived from natural sources)	3.15				
	8	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level					
		1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources	2.35				

			1	1	1	
	: 3 graded stone aggregate 20 mm nominal size de rived from natural sources)					
9	Centering and shuttering including strutting, propping etc. and removal of form for a) Lintels, beams, plinth beams, girders, bressumers and cantilever	22.35				
10	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. a)Thermo-Mechanically Treated bars of grade Fe-500D or more	283.36				
11	CEMENT PLASTER (FINE SAND) 12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	342.31				
12	Neat cement punning	7.05				
13	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 manufactured sand derived from Recycled Concrete Aggregate (RCA) : 6 graded stone aggregate 20 mm nominal size (Recycled Aggregate (RA) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth	10.76				
14	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete	67.93				
15	Size of Tile 600x600 mm Marble stone flooring with 18 mm thick marble stone, as per sample of marble approved by Engineer-in-charge, over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with grey cement slurry, including rubbing and polishing complete with :	30.60				
	Makrana White Second quality					
16	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.	54.28	Sqm			
17	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and	0.20	Cum			

	-					1	
		fixed in position with hold fast lugs or					
		with dash fasteners of required dia &					
		length (hold fast lugs or dash fastener					
		shall be paid for separately)					
		Sal wood					
		Providing and fixing ISI marked flush					
		door shutters conforming to IS : 2202					
		(Part I) decorative type, core of block					
	18.1	board construction with frame of 1st					
	10.1	class hard wood and well matched					
		teak 3 ply veneering with vertical					
		grains or cross bands and face					
-		veneers on both faces of shutters. b) 30 mm thick including ISI marked					
		Stainless Steel butt hinges with	9.45	Sqm			
		necessary screws	0.10	oqiii			
		Supplying fitting, fixing decorative					
		lamination conforming to IS: 2046 :					
		1995 as per approved make, brand,					
		finish and thickness with fitting, fixing					
		the same on Particle/MDF / Ply Boards					
	18.2	with recommended / approved adhesive with proper clipping the sides					
		for better attachment as per direction					
		of Engineer-incharge.The rate includes					
		the cost of labour, adhesive and all					
		incidental charges thereof. In ground					
		floor					
		Glossy/Matt/Suede excluding surface					
-		texture or metallic lustre (ii) Thickness of laminate 1 mm		_			
			18.90	Sqm			
		Droviding and fiving bright finished					
		Providing and fixing bright finished brass 100 mm mortice latch and lock					
	19	with 6 levers and a pair of lever	5.00	Each			
		handles of approved quality with	0100				
		necessary screws etc. complete.					
		Supplying and fixing 100 mm long					
	20	Aluminium Tower bolt including the					
		cost necessery screw etc					
		b) 150 x10mm	5.00	Each			
		Providing and fixing aluminium					
		hanging floor door stopper, ISI marked,					
		anodised (anodic coating not less than					
	21	grade AC 10 as per IS : 1868)	5.00	Each			
		transparent or dyed to required colour	5.00				
		and shade, with necessary screws etc. complete.					
		a) Twin rubber stoper					
		Providing and fixing aluminum die cast					
		body tubular type universal hydraulic					
		door closer (having brand logo with ISI,					
	22	IS: 3564, embossed on the body, door	2.00	Each			
		weight upto 35 kg and door width upto					
		700 mm), with necessary accessories					
		and screws etc. complete. Providing and fixing aluminum work for					
		doors, windows, ventilators and					
		partitions with extruded built up					
		standard tubular sections/ appropriate					
	23	Z sections and other sections of	91.96	Kg			
	20	approved make conforming to IS: 733	51.50	i vy			
		and IS: 1285, fixing with dash					
		fasteners of required dia and size,					
		including necessary filling up the gaps at junctions, i.e. at top, bottom and					
1		a janonono, no. a top, bonom and		l		1	

	sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in- charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion				
	Anodized aluminum (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)				
24	Providing and fixing glazing in aluminum door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-charge . (Cost of aluminum snap beading shall be paid in basic item):	34.06	Sqm		
	With float glass panes of 4.0 mm				
25	thickness Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	1084.22	Kg		
26	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. a) Fixed to steel windows by welding	733.24	Kg		
27	Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer.	2.52	Sqm		
28	Providing and fixing hard drawn steel wire fabric 75x25 mm mesh of weight not less than 7.75 Kg per sqm to window frames etc. including 62x19 mm beading of second class teak wood and priming coat with approved steel primer all complete	20.06	Sqm		
29	Providing and fixing percolated galvanized iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15- 18 microns. Sheet should have protective guard film of 25 microns	43.80	Sqm		

minimum to avoid scratches during	
transportation and should be supplied	
in single length upto 12 metre or as	
desired by Engineering-charge. The	
sheet shall be fixed using self drilling	
/self tapping screws of size (5.5x 55	
mm) with EPDM seal, complete upto	
any pitch in horizontal/ vertical or	
curved surfaces, excluding the cost of	
purlins, rafters and trusses and	
including cutting to size and shape	
wherever required.	
Providing and fixing percolated	
galvanized steel sheet roofing	
accessories 0.50 mm (+0.05 %) total	
coated thickness, Zinc coating 120	
grams per som as per IS: 277 in 240	
30 mpa steel grade, 5-7 microns epoxy	
primer on both side of the sheet and	
polyester top coat 15-18 microns using	
self drilling/ self tapping screws	
complete	
Ridges plain (500 - 600mm) 7.30 Metre	
Making soak pit 2.5 m diameter 3.0	
metre deep with 45 x 45 cm dry brick	
31 honey comb shaft with bricks and S.W. 1.00 Each	
drain pipe 100 mm diameter, 1.8 m	
long complete as per standard design.	
Construction of septic tank of different	
capacities as per approved drawing	
with 1st class brick work in cement	
mortar (1:4) including two 560 mm dia.	
R.C.C. manhole cover(heavy type)of	
approved make supplied, fitted and	
fixed in the 100mm thick R.C.C	
(1:1.5:3) top slab with necessary	
fittings, 20mm thick cement plaster (4 :	
1) with neat cement finish to the	
internal surfaces and 15 mm thick	
cement plaster (4 : 1) to outside wall	
upto 200 mm below G.L floor finished	
with 25 mm thick grey artificial stone	
over 100 mm thick R.C.C(1:1.5:3)	
bottom slab including supplying, fitting	
and fixing all necessary specials,	
fittings, S.W. tees, C.I. foot rest etc.	
including excavation earth in all sorts	
of soil, shoring, bailing out and	
32 pumping out water as necessary,	
ramming, dressing the bed and fefilling	
the sides of the tanks with earth,	
removing spoils, filling up the chamber	
with clear water, removing foreign	
materials from the chamber and	
including constructing attached	
inspection pit as per approved drawing	
and connecting all necessary pipes,	
joints etc. with internal plaster work	
and artificial stone flooring is to be	
done with admixture of water proofing	
compound @ 0.5% by weight of	
cement with all costs of labour and	
cement with all costs of labour and materials. Note:- (i) Finished level of	
cement with all costs of labour and materials. Note:- (i) Finished level of Septic Tank should be 400 mm. from	
cement with all costs of labour and materials. Note:- (i) Finished level of Septic Tank should be 400 mm. from Ground Level. (ii) Height of 50 mm.	
cement with all costs of labour and materials. Note:- (i) Finished level of Septic Tank should be 400 mm. from Ground Level. (ii) Height of 50 mm. Ventilation pipe &Mosquito proof	
cement with all costs of labour and materials. Note:- (i) Finished level of Septic Tank should be 400 mm. from Ground Level. (ii) Height of 50 mm. Ventilation pipe &Mosquito proof mesh, should be follwed as per	
cement with all costs of labour and materials. Note:- (i) Finished level of Septic Tank should be 400 mm. from Ground Level. (ii) Height of 50 mm. Ventilation pipe &Mosquito proof	

	based on relevant I.S.Code.				
	(ii) For 20 users				
	. ,				
	A) With Pakur variety. (Other than SAIL/TATA/RINL)	1.00	Each		
33	Constructing masonry Chamber 60x60x75 cm, inside in brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for fire hydrants, with C.I. surface box 350x350 mm top and 165 mm deep (inside) with chained lid and RCC top slab 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) , i/c necessary excavation, foundation concrete 1:5:10 (1 cement : 5 fine sand:10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick, finished with a floating coat of neat cement complete as per standard design :	3.00			
	With common burnt clay F.P.S.(non				
34	modular) bricks of class designation 7. Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	249.65	Sqm		
35	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	341.38	Sqm		
36	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of	341.38	Sqm		
37	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade a) One or more coat old works	93.00	Sqm		
38	Finishing wall with premium Acrylic smooth exterior paint with silicone additives of require shade a) Old work (Two or more coats applied on 1.43 Lit / 10sqm) over exting cement paint syurface	250.59	Sqm		
39	Grading roof for water proofing treatment with				
	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	0.63	Cum		
40	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal satbility for hot & cold water supply including all cpvc plan& brass threated fittings ,i/c fixing the pipe with clamps at 1.00m spacing . This incilude jointing of pipes & fittings				

· · · · · ·	1			n	0	1	·
		with one step CPVC solvent cement					
		and the cost cutting chase and making					
		good the same including testing of					
		joints complete as per direction of					
		Engineer in charge Concealed work, including cutting					
		chases and making good the walls etc					
		15 mm nominal dia Pipes		_			
		13 min nominal dia 1 ipes	30.00	Rmt			
		20 mm nominal dia Pipes	10.00	Rmt			
			10.00	Kint			
		Providing and fixing Chlorinated					
		Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold					
		water supply including all cpvc plan&					
		brass threated fittings. This include					
	41	jointing of pipes & fittings with one					
		step CPVC solvent cement and the					
		cost cutting chase and making good					
		the same including testing of joints					
		complete as per direction of Engineer					
		in charge			l		
		External work					
		25 mm nominal dia Pipes	20.00	Dert			
		·	30.00	Rmt			
		40 mm nominal dia Pipes	80.00	Rmt			
		Providing and fixing PTMT Ball cock of		-			
		approved quality, colour and make					
	42	complete with Epoxy coated					
		alumonium rod with L.P / H.P.H.D					
		plastic ball					
		25 mm nominal bore, 152mm long,	2.00	Each			
		weighing not less 440 Gms	2.00	Lach			
		40 mm nominal bore, 206mm long,	1.00	Each			
		weighing not less than 690 gms					
		Providing and placing on terrace (at all floor levels) polyethylene water storage					
		tank, IS : 12701 marked, with cover					
	43	and suitable locking arrangement and	1000.00	Lit			
		making necessary holes for inlet, outlet					
		and overflow pipes but without fittings					
		and the base support for tank.					
		Providing and fixing wash basin with					
		C.I. brackets, 15 mm C.P. brass pillar					
		taps, 32 mm C.P. brass waste of					
		standard pattern, including painting of fittings and brackets, cutting and					
	44	making good the walls wherever	2.00	Nos			
		require:					
		a) White Vitreous China Wash basin					
		size 550x400 mm with a pair of 15 mm					
		C.P. brass pillar taps					
		Providing and fixing white vitreous					
		china pedestal type water closet					
		(European type W.C. pan) with seat					
		and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe,					
	45	with manually controlled device					
		(handle lever), conforming to IS : 7231,					
		with all fittings and fixtures complete,					
		including cutting and making good the					
		walls and floors wherever required :					
$ $ \neg		WC pan with ISI Marked White solid	2.00	Each			
		plastic seat and lid	2.00	Laun			
		Providing and fixing PTMT angle stop					
	46	cock	4.00	Nos			
		a)15 mm nominal bore, weighing not less than 85 gms					
		iooo iilali oo yilla		1	1		

		I	-		
47	a) 15 mm nominal bore, 122mm long, weighing not less than 99 gms	6.00	Nos		
48	Providing and fixing un plasticized P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour a) 15 mm nominal bore with 45 cm length	4.00	Nos		
49	Providing and fixing on wall face un plasticized Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion (i) Single socketed pipes. a) 110 mm diameter	50.00	Rmt		
50	expansion				
	b)Single tee with door 110mm x110mmx110mm	10.00	Nos		
	a) 110mm bend	12.00	Nos		
51	premises of Engineer -in -charge prior execution will be necessary . (Payment to be made area clear)	100.00	Sqm		
52	Supplying, fitting and fixing Stainless Steel railing consist of 38mm dia and 900mm height vertical balustrade at every two alternative steps, 50mm dia top rail, 3 (three) nos 19mm dia horizontal Stainless steel pipe and base/cover plate with Stainless Steel GRADE 304 containing 7.5% nickle (Interior Grade) Brushed/Mat finish, complete as per direction of the Engineer-in-charge. Weight of Stainless Steel railing per metre 6.5 Kg (approx)	16.00	Rmt		
	ELETRICAL WORK				
53	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/	120.00	Meter		
54	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC	60.00	Point		

T		inculated conner conductor size as a		T			
		insulated copper conductor single core					
		cable etc. as required.					
		i) Group A					
	55	Supplying and fixing call bell/ buzzer	2.00	Each			
		suitable for single phase, 230 V,					
		complete as required					
		Supplying and fixing following way,	3.00	Each			
		single pole and neutral, sheet steel,					
		MCB distribution board, 240 V, on					
	56	surface/ recess, complete with tinned					
		copper bus bar, neutral bus bar, earth					
		bar, din bar, interconnections, powder					
		painted including earthing etc. as					
		required. (But without					
		MCB/RCCB/Isolator)					
		8 Way Double Door					
		Earthing with copper earth plate 600					
		mm X 600 mm X 3 mm thick including	1.00	Set			
		accessories, and providing masonry					
	57	enclosure with cover plate having					
		locking arrangement and watering pipe					
		of 2.7 metre long etc. with charcoal/					
		coke and salt as required.					
		Supplying & Fixing Out door type CFL					
		luminaire (Havells	3.00	Each			
		makeLHRC4185099) with deep drawn					
	58	aluminum housing anodized inside &					
	00	clear acrylic cover and accessories					
		incl. for 85 watts CFL lamp incl. S&F					
		32mm dia GI pipe bracket, clamp, nut					
		& bolts etc.					
		Supplying and fixing two module	4.00	Each			
		stepped type electronic fan regulator					
	59	on the existing modular plate switch					
		box including connections but					
		excluding modular plate etc. as					
		required.					
		Grand Total Amount (Rs.)					
				I	1	1	

Rate quoted will be without GST.

No Extra payment will be entertained at the time of execution of work.

Note:-

- 1. Taxes if any (Inclusive/Exclusive) should be specified categorically against the Remark field of price bid or in the attachment electronically.
- 2. The short listed vendors quoting the lowest Gross Total in Column (g) as per price bid for total of all the works will be treated **as L-I.**